





Pronivel P is a line of profiles to be applied during the laying of ceramic or marble flooring and suitable for connect different thicknesses. The versions in stainless steel and brass are suitable to withstand heavy stress

PN1/10 polished stainless steel AISI 304 DIN 1.4301



**PRONIVEL P**

length = 270 cm - pack 10 pcs

		H							
ART.	finishing	4,5	8	10	11	12,5	14	15	20
<b>ALUMINIUM</b>									
PA/	silver anodised		93175	93181	93182	93185	93183	93184	-
	<i>euro/m</i>								-
<b>STAINLESS STEEL</b>									
PN1/	polished stainless steel AISI 304 DIN 1.4301		-	93092	93094	93090	93096	-	93098 93100
	<i>euro/m</i>								
PNIS/	satin stainless steel AISI 304 DIN 1.4301		-	93093	93095	93091	93097	-	93099 93101
	<i>euro/m</i>								
<b>BRASS</b>									
PN/	natural brass		-	93121	93122	-	93123	93124	-
	<i>euro/m</i>								
PR/	polished		-	93151 *	93152 *	-	93153 *	93154 *	-
	<i>euro/m</i>								

Complete the article code with H measure (eg. PA/ with H=8 becomes PA/8)

\* Out of production items, available till end of stock


For a single piece, see sales conditions on page 305

individually packed - item PR/ available in length 90 cm - surcharge for cut euro



45/SF silver anodised aluminium

Pronivel L is a profile suitable to connect floors of different heights. Applicable on flooring already laid, it is fixed to the floor with adhesive.



45/  
345/

**PRONIVEL L**

length = 270 cm - pack 20 pcs H

**ART. finishing** 10

SF A

**ALUMINIUM**

45/	silver anodised		73550		
	<i>euro/m</i>				73552

length = 270 cm - pack 10 pcs H

**BRASS** 10


345/	polished		73553		
	<i>euro/m</i>				73554 *

individually packed



PBA/10 silver anodised aluminium

Pronivel PB is a transition profile between two floors subject to stress. The slight slope makes easier the passing of trolleys or wheelchairs.



**PRONIVEL PB**

length = 270 cm - pack 10 pcs H

**ART. finishing** 5 10 12,5 15

**ALUMINIUM**

PBA/	silver anodised		93204	93206	93208	93210
	<i>euro/m</i>					

individually packed

Complete the article code with SF=undrilled, A=adhesive, (eg. 45/ adhesive becomes 45/A)

Complete the article code with the height (eg. PBA/ with H=10 becomes PBA/10)


\* Out of production items, available till end of stock

For a single piece, see sales conditions on page 305



SWP/15 oak + aluminium

Pronivel Wood is a line of edge profiles in natural oak, which allows the elimination of the step between floors of different levels. Also suitable for laying a parquet over an existing floor allows the painting of the wooden part in the favourite shade.



**PRONIVEL WOOD**

length = 270 cm - pack 10 pcs

		H		
ART.	finishing	10	12,5	15
<b>OAK + ALUMINIUM</b>				
SWP/	oak + aluminium	90550	90554	90558


euro/m

individually packed



MIN/10 polished stainless steel AISI 304 DIN 1.4301

Pronivel M is a line of profiles designed to connect during installation floors of different heights. The special section is effective in case of connection with carpet or LVT.



**PRONIVEL M**

length = 270 cm - pack 10 pcs

		H			
ART.	finishing	8	10	12,5	
<b>ALUMINIUM</b>					
MA/	silver anodised		93010	93012	93014

euro/m

**STAINLESS STEEL**

MIN/	polished stainless steel AISI 304 DIN 1.4301		93023	93024	-
------	--	---	-------	-------	---

euro/m

**BRASS**

MN/	natural brass		92890 *	92892 *	92894 *
-----	---------------	---	---------	---------	---------

euro/m

individually packed

Complete the article code with the height (eg. SWP/ with H=10 becomes SWP/10)


\* Out of production items, available till end of stock

For a single piece, see sales conditions on page 305



61/A silver anodised aluminium

Prolevel 61 / and 358 / are a line of profiles to be applied after the installation, and can compensate for differences in height between 6.5 and 13 mm.




61/  
358/

**PROLEVEL HIGH**


pack	20 pcs	10 pcs / blister	
length cm	270	90	
ART.	61/	461/	
finishing	A	AD	
<b>ALUMINIUM</b>			
silver anodised	73437	21200	
gold anodised	73447 *	21201 *	
euro/m		-	
euro/pc	-		
pack	10 pcs	5 pcs / blister	
ART.	358/	4358/	
finishing	A	AD	
<b>BRASS</b>			
polished	73467 *	22470 *	
euro/m		-	
euro/pc	-		

art. 61/ and 358/ individually packed



355/A polished brass

Prolevel 55/ and 355 / are a line of aluminium and brass profiles which allows the elimination of the step between floors with 8 mm slope. Available also in blister pack and self-adhesive, they are easily applicable in DIY field.



55/  
355/

**PROLEVEL HIGH**

pack	20 pcs	10 pcs / blister	
length cm	270	90	
ART.	55/	455/	
finishing	F A	CV AD	
<b>ALUMINIUM</b>			
silver anodised	73907 73937	42312 42330	
gold anodised	73917 * 73947	42318 * 42336	
euro/m		- -	
euro/pc	- -		
pack	20 pcs	5 pcs / blister	
ART.	355/	4355/	
finishing	F A	CV AD	
<b>BRASS</b>			
polished	73507 * 73517 *	- 22464 *	
euro/m		- -	
euro/pc	- -		

art. 55/ and 355/ individually packed


Complete the item code with F=drilled, A-AD=adhesive, CV=screws (eg. 61/ adhesive becomes 61/A)

packaging in blister no partial packaging - \* Out of production items, available till end of stock - For a single piece, see sales conditions on page 305



57/A silver anodised aluminium

Prolevel 57/ and 357 / are a line of aluminium and brass profiles which allows the elimination of the step between floors with 12 mm slope. Available also in blister pack and self-adhesive, they are easily applicable in DIY field.




57/

**PROLEVEL HIGH**


pack	20 pcs	10 pcs / blister 		
length cm	270	90		
ART.	57/	457/		
finishing	F	A	CV	AD
<b>ALUMINIUM</b>				
silver anodised	 73967	73997	42352	42370
gold anodised	 -	74007	42358 *	42376
euro/m			-	-
euro/pc	-	-		

art. 57/ individually packed



51/A gold anodised aluminium

Prolevel 51/ and 52/ are a line of aluminium profiles which allows the elimination of the step between floors with 8 or 14 mm slope. It could be used after the laying, using screws or adhesive.




**PROLEVEL HIGH**

length = 270 cm - pack 20 pcs				
ART.	51/		52/	
finishing	F	A	F	A
<b>ALUMINIUM</b>				
silver anodised	 74022	74026	74050	74056
gold anodised	 74023 *	74027 *	74051 *	74057 *
euro/m				

individually packed


Complete the article code with F=drilled, A=adhesive, CV=screws (eg. 57/ drilled becomes 57/F)

 packaging in blister no partial packaging - \* Out of production items, available till end of stock - For a single piece, see sales conditions on page 305



711/A polished stainless steel AISI 430 - DIN 1.4016

Prolevel 711/ and 311/ are a line of self-adhesive stainless steel and polished brass profiles which allows the elimination of the step between floors with 7 or 12 mm slope. Available also in blister pack and self-adhesive, they are easily applicable in DIY field.



711/  
311/

**PROLEVEL HIGH**

pack	20 pcs	10 pcs / blister 			
length cm	270	83	93	103	166
ART.	711/	4711/			
finishing	A	AD	AD	AD	AD
<b>STAINLESS STEEL</b>					
polished stainless steel AISI 430 - DIN 1.4016	 73627	40431	40432	-	40434
euro/m	-	-	-	-	-
euro/pc	-	-	-	-	-
satin stainless steel AISI 430 - DIN 1.4016	 73628	-	-	-	-
euro/m	-	-	-	-	-


ART.	311/	4311/			
finishing	A	AD	AD	AD	AD
<b>BRASS</b>					
polished	 73607	22655	22656	22657	22658
euro/m	-	-	-	-	-
euro/pc	-	-	-	-	-

art. 711/ and 311/ individually packed



312/A polished brass

Prolevel 712/ and 312/ are a line of self-adhesive stainless steel and polished brass profiles which allows the elimination of the step between floors with 12 or 16 mm slope. Available also in blister pack and self-adhesive, they are easily applicable in DIY field.



712/  
312/

**PROLEVEL HIGH**


pack	10 pcs	5 pcs / blister 	
length cm	270	90	
ART.	712/	4712/	
finishing	A	AD	
<b>STAINLESS STEEL</b>			
polished stainless steel AISI 430 - DIN 1.4016	 73637	40898	
euro/m	-	-	
euro/pc	-	-	
ART.	312/	4312/	
finishing	A	AD	
<b>BRASS</b>			
polished	 73617	40868	
euro/m	-	-	
euro/pc	-	-	

art. 712/ and 312/ individually packed



734/A polished stainless steel AISI 430 DIN 1.4016

Prolevel 034/ and 734/ are a line of stainless steel and brass profiles of small dimensions to apply after the laying to connect floors with a difference level of 10 mm.



734/A  
034/A


**PROLEVEL HIGH**

length = 270 cm - pack 15 pcs		<b>H</b>
<b>ART.</b>	<b>finishing</b>	<b>10</b>
<b>STAINLESS STEEL</b>		
<b>734/A</b>	polished stainless steel AISI 430 DIN 1.4016 <i>euro/m</i>	73737
<b>BRASS</b>		
<b>034/A</b>	polished <i>euro/m</i>	73667
individually packed		



032/SF/10 polished brass

Prolevel 732/ and 032/ are a line of border profiles to be used to protect border floor. Available in stainless steel and brass, it could be used also as stair nosing.



732/SF/  
032/SF/


**PROLEVEL HIGH**

length = 270 cm - pack 15 pcs		<b>H</b>		
<b>ART.</b>	<b>finishing</b>	<b>10</b>	<b>12,5</b>	<b>15</b>
<b>STAINLESS STEEL</b>				
<b>732/SF/</b>	polished stainless steel AISI 430 DIN 1.4016 <i>euro/m</i>	74217	74227	74237
<b>BRASS</b>				
<b>032/SF/</b>	polished <i>euro/m</i>	74147 *	-	-
individually packed				

Complete the article code with H measure (eg. 732/SF/ with H=10 becomes 732/SF/10)


\* Out of production items, available till end of stock

For a single piece, see sales conditions on page 305



6/A silver anodised aluminium

Prolevel 6/ 7/ and 305/ are a line of transition profiles in aluminium and brass, for floors of small thickness already laid. Available also in blister pack, self-adhesive and with screws, they are easily applicable in DIY field.




6/

**PROLEVEL MEDIUM**

pack	30 pcs		10 pcs / blister			
length cm	270		93	166		
ART.	6/		46/			
finishing	F	A	CV	AD	CV	AD
<b>ALUMINIUM</b>						
silver anodised		72727 72757	20932	20952	20940	20960
gold anodised		72737 72767	20933	20953	-	-
bronze anodised		72747* 72777	-	-	-	-
euro/m			-	-	-	-
euro/pc			-	-	-	-

art. 6/ individually packed




7/

**PROLEVEL MEDIUM**

pack	30 pcs	
length cm	270	
ART.	7/	
finishing	F	
<b>ALUMINIUM</b>		
silver anodised		79007
gold anodised		79017*
euro/m		
euro/pc		

art. 7/ individually packed



305/

**PROLEVEL MEDIUM**

pack	10 pcs		10 pcs / blister					
length cm	270		93	103		166		
ART.	305/		4305/					
finishing	F	A	CV	AD	CV	AD	CV	AD
<b>BRASS</b>								
polished		72787 72797	21009	21015	21010	21016	21011*	21017*
euro/m			-	-	-	-	-	-
euro/pc			-	-	-	-	-	-

art. 305/ individually packed

Complete the article code with F=drilled, A=adhesive, CV=screws (eg. 6/ drilled becomes 6/F)

packaging in blister no partial packaging


\* Out of production items, available till end of stock

For a single piece, see sales conditions on page 305




700/A polished stainless steel AISI 430 DIN 1.4016


Prolevel 700/, 300/ and 10/ are a line of transition profiles for floors of small thickness already laid. Available in different widths and also in blister pack, self-adhesive and with screws, they are easily applicable in DIY field.




700/  
300/



701/



702/



10/  
710/  
310/

**PROLEVEL MEDIUM**

pack	20 pcs		10 pcs / blister	20 pcs	
length cm	270	270	93	270	
ART.	700/	701/	4701/	702/	
finishing	A	F A	AD	A	
<b>STAINLESS STEEL</b>					
polished stainless steel AISI 430 DIN 1.4016	72877	-	72957	21135	73057
euro/m	-	-	-	-	-
euro/pc	-	-	-	-	-

art. 700/ 701/ 702/ individually packed

**PROLEVEL MEDIUM**

pack	20 pcs	10 pcs / blister
length cm	270	93
ART.	300/	4300/
finishing	A	AD
<b>BRASS</b>		
polished	72857	21035
euro/m	-	-
euro/pc	-	-

art. 300/ individually packed

**PROLEVEL MEDIUM**

pack	20 pcs		10 pcs / blister	20 pcs	10 pcs / blister
length cm	270		93	270	93
ART.	10/	710/	4710/	310/	4310/
finishing	A	A	AD	A	AD
<b>ALUMINIUM</b>					
silver anodised	72527	-	-	-	-
<b>STAINLESS STEEL</b>					
polished stainless steel AISI 430 DIN 1.4016	-	72567	20886	-	-
<b>BRASS</b>					
polished	-	-	-	72557	20872
euro/m	-	-	-	-	-
euro/pc	-	-	-	-	-

art. 10/ 710/ 310/ individually packed

Complete the article code with F=drilled, A-AD=adhesive, CV=screws (eg. 700/ drilled becomes 700/F)

packaging in blister no partial packaging

For a single piece, see sales conditions on page 305

# prolevel - prolock




54/A gold anodised aluminium




85/A silver anodised aluminium

Prolevel Thin is a transition profile for PVC flooring. To be used after the laying, it can protect the edge of the floor and it permits the connection.

Prolock is a line of profiles that could be deformed in a plastic way. It is useful as edge trim for carpet of different materials and thickness.



54/



85/

## PROLEVEL THIN

length = 270 cm - pack 20 pcs

ART.	finishing	SF	A
<b>ALUMINIUM</b>			
54/	silver anodised	72587	72617
	gold anodised	-	72627
<b>euro/m</b>			

individually packed

## PROLOCK

pack	20 pcs	10 pcs / blister 	
length cm	270	93	
ART.	85/	485/	
finishing	SF	A	AD
<b>ALUMINIUM</b>			
silver anodised	73137	73167	21302
gold anodised	73147	73177	21303
bronze anodised		73187 *	-
<b>euro/m</b>			
<b>euro/pc</b>	-	-	-

art. 85/ individually packed

Complete the item code with SF=undrilled,  
A-AD=adhesive, (eg. 54/ undrilled becomes 54/SF)

 packaging in blister no partial packaging

\* Out of production items, available till end of stock

For a single piece, see sales conditions on page 305



## movement joints

A line designed to permit the expansion and contraction that materials undergo as a result of the seasonal temperature. A wide range of finishes to suit different stresses to which the coating is subjected.

