


profiles for balconies and terraces


A functional and stylish line for the protection of terraces, balconies and pavements. The effectiveness of the protection decorates and completes every architectural detail.

Protec CPCV and CPCI are a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium and stainless steel, they have been designed with a protruding section and can be used with tiles thicknesses up to 21 mm. In addition to protecting and finishing the outside edges, they guarantee the outflow of water from the floor, avoiding the contact with the outside border.

Protec CPCV is also available in the bendable version CPCVF, provided with a special cutout that allows to bend the profile with a radius up to 1 meter.



CPCV/55/10 ancient grey colour-coated aluminium




CPCV/

PROTEC

length = 270 cm - pack 10 pcs

ART.	H									
	10	12,5	21	10	12,5	21	10	12,5	21	
finishing	CPCV/55/			CPCV/75/			CPCV/95/			
COLOUR-COATED ALUMINIUM										
white RAL 9003	□	87677	87678	-	87687	87688	-	87697	87698	-
ash grey RAL 7038	■	87681	87682	87660	87691	87692	87661	87701	87702	87662
ash grey RAL 7038 embossed	■	87713	87714	-	87715	87716	-	87717	87718	-
dark brown RAL 8019	■	87683	87684	-	87693	87694	-	87703	87704	-
rust	■	87616	87617	-	87618	87619	-	-	-	-
metal grey RAL 9006	■	87720	87721	-	87723	87724	-	87726	87727	-
aluminium grey RAL 9007	■	87750	87751	-	87753	87754	-	87756	87757	-
ancient grey	■	87707	87708	-	87709	87710	-	87711	87712	-
euro/m		19,57	19,57	23,42	22,09	22,09	25,95	25,21	25,21	29,07

For colours on request please contact our sales department




CPCI/

PROTEC

length = 270 cm - pack 10 pcs

ART.	H									
	10	12,5	10	12,5	10	12,5				
finishing	CPCI/55/		CPCI/75/		CPCI/95/					
STAINLESS STEEL										
polished stainless steel AISI 304 DIN 1.4301	■	87671	87672	-	87673	87674	-	87675	87676	-
euro/m		32,07	32,29	-	35,82	36,06	-	39,89	40,15	-



CPCVF/55/10 ash grey RAL 7038 embossed colour-coated aluminium

Complete the article code with H measure (for example CPCV/55/ for H=10 becomes CPCV/55/10)

PROTEC FLEX PRO FLEX LINE


length = 270 cm - pack 2 pcs

ART.	H		
	10	NEW 12,5	
finishing	CPCVF/55/		
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038	■	87790	-
ash grey RAL 7038 embossed	■	87791	87793
ancient grey	■	87792	87794
euro/m		26,22	26,22

no partial packaging

For colours on request and other heights please contact our sales department

For a single piece, see sales conditions on page 288




CPCV//E
CPCI//E

90° OUTSIDE CORNER

pack 5 pcs		H								
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	finishing	CPCV/55/ E			CPCV/75/ E			CPCV/95/ E		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87817	87818	-	87827	87828	-	87837	87838	-
ash grey RAL 7038		87821	87822	87663	87831	87832	87664	87841	87842	87665
ash grey RAL 7038 embossed		87894	87895	-	87896	87897	-	87898	87899	-
dark brown RAL 8019		87825	87826	-	87835	87836	-	87845	87846	-
rust		87620	87621	-	87622	87623	-	-	-	-
metal grey RAL 9006		87730	87731	-	87733	87734	-	87736	87737	-
aluminium grey RAL 9007		87760	87761	-	87763	87764	-	87766	87767	-
ancient grey		87877	87878	-	87879	87880	-	87881	87882	-
euro/pc		28,10	28,10	31,96	28,10	28,10	31,96	28,10	28,10	31,96

90° OUTSIDE CORNER


pack 5 pcs		H								
		10	12,5	10	12,5	10	12,5			
ART.	finishing	CPCI/55/ E		CPCI/75/ E		CPCI/95/ E				
STAINLESS STEEL										
polished stainless steel AISI 304 DIN 1.4301		87801	87802	-	87803	87804	-	87805	87806	-
euro/pc		44,05	44,05	-	44,05	44,05	-	44,05	44,05	-



CPCV/55/ I

90° INSIDE CORNER

pack 5 pcs		H					
		10	12,5				
ART.	finishing	CPCV/55/ I					
COLOUR-COATED ALUMINIUM							
ash grey RAL 7038		87890	87891	-			
ash grey RAL 7038 embossed		87807	87808	-			
ancient grey		87892	87893	-			
euro/pc		30,93	30,93	-			



CPCV// G
CPCI// G

JUNCTION

width = 70 mm - pack 5 pcs		H								
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	finishing	CPCV/55/ G			CPCV/75/ G			CPCV/95/ G		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87847	87848	-	87857	87858	-	87867	87868	-
ash grey RAL 7038		87851	87852	87666	87861	87862	87667	87871	87872	87668
ash grey RAL 7038 embossed		87748	87749	-	87758	87759	-	87768	87769	-
dark brown RAL 8019		87853	87854	-	87863	87864	-	87873	87874	-
rust		87624	87625	-	87626	87627	-	-	-	-
metal grey RAL 9006		87740	87741	-	87743	87744	-	87746	87747	-
aluminium grey RAL 9007		87770	87771	-	87773	87774	-	87776	87777	-
ancient grey		87883	87884	-	87885	87886	-	87887	87888	-
euro/pc		5,46	5,46	8,01	5,46	5,46	8,01	5,46	5,46	8,01

no partial packaging

JUNCTION

width = 70 mm - pack 5 pcs		H								
		10	12,5	10	12,5	10	12,5			
ART.	finishing	CPCI/55/ G		CPCI/75/ G		CPCI/95/ G				
STAINLESS STEEL										
polished stainless steel AISI 304 DIN 1.4301		87811	87812	-	87813	87814	-	87815	87816	-
euro/pc		7,14	7,14	-	7,14	7,14	-	7,14	7,14	-

no partial packaging




CPCV/55/E + CPCV/55/G ancient grey colour-coated aluminium

For a single piece, see sales conditions on page 288

Protec CPCV/30/ is the solution for old terraces. The reduced dimensions of the protruding section allow to avoid removing the perimetral balustrades in case of refurbishment.



CPCV/30/ ancient grey colour-coated aluminium




CPCV/30/



PROTEC

length = 270 cm - pack 10 pcs

		H	
		10	12,5
ART.		CPCV/30/10	CPCV/30/12
finishing			
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87651	87652
ash grey RAL 7038 embossed		87655	87656
ancient grey		87653	87654
euro/m		13,08	13,47




CPCV/30/ / E

90° OUTSIDE CORNER

pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCV/30/10/E	CPCV/30/12/E
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87780	87781
ash grey RAL 7038 embossed		87784	87785
ancient grey		87782	87783
euro/pc		13,35	13,72




CPCV/30/ /G

JUNCTION

width = 70 mm - pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCV/30/10/G	CPCV/30/12/G
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87631	87632
ash grey RAL 7038 embossed		87635	87636
ancient grey		87633	87634
euro/pc		5,72	5,72

no partial packaging



CPCV/30/ /E ancient grey colour-coated aluminium


Complete the article code with H measure (for example CPCV/30/ for H=10 becomes CPCV/30/10)

For a single piece, see sales conditions on page 288

Protec CPNV is a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium, they can be installed flush with the border or detached from it. Their special section makes them suitable for the protection of the borders of steps or sidewalks, since it hides the junction between the tread and the riser. Protec CPNV is also available in the bendable version CPNVF, provided with a special cutout that allows to bend the profile with a radius up to 40 cm.



CPNV/45/ ash grey RAL 7038 embossed colour-coated aluminium



CPNV/45/



PROTEC

length = 270 cm - pack 10 pcs H

ART.	finishing	10	11	12,5
------	-----------	----	----	------

COLOUR-COATED ALUMINIUM

CPNV/45/	ash grey	■	87270	87271	87272
	RAL 7038 embossed				
	ancient grey	■	87273	87274	87275
euro/m			16,37	16,50	16,63

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 and rust with a minimum of 270 meters, on request, without surcharge. For colours on request please contact our sales department.


90° OUTSIDE CORNER

pack 5 pcs H

ART.	finishing	10	11	12,5
------	-----------	----	----	------

COLOUR-COATED ALUMINIUM

CPNV/45/ /E	ash grey	■	87276	87277	87278
	RAL 7038 embossed				
	ancient grey	■	87279	87280	87281
euro/pc			19,14	19,14	19,14



CPNV/45/ /E

JUNCTION


width = 70 mm - pack 5 pcs H

ART.	finishing	10	11	12,5
------	-----------	----	----	------

COLOUR-COATED ALUMINIUM

CPNV/45/ /G	ash grey	■	87282	87283	87284
	RAL 7038 embossed				
	ancient grey	■	87285	87286	87287
euro/pc			5,72	5,72	5,72

no partial packaging



CPNV/45/ /G

PROTEC FLEX ~~PRO~~ FLEX LINE

length = 270 cm - pack 2 pcs H

ART.	finishing	10	NEW 12,5
------	-----------	----	----------

COLOUR-COATED ALUMINIUM

CPNVF/45/	ash grey	■	87288	87290
	RAL 7038 embossed			
	ancient grey	■	87289	87291
euro/m			24,09	24,38

no partial packaging

For colours on request and other heights please contact our sales department.



CPNVF/45/10 ancient grey colour-coated aluminium


Complete the article code with H measure (for example CPNV/45/ for H=10 becomes CPNV/45/10)

For a single piece, see sales conditions on page 288

Protec CPGV is a perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed of a vertical part that facilitates the outflow of rainwater from the tiled surface and protects the border of the floor, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.



CPGV/55/10 ancient grey colour-coated aluminium



CPGV/55/



PROTEC

length = 270 cm - pack 10 pcs

		H	
		10	12,5
ART. finishing		CPGV/55/10	CPGV/55/12
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87580	87581
ash grey RAL 7038 embossed		87578	87579
metal grey RAL 9006		87590	87591
ancient grey		87582	87583
white stone		87547	87548
euro/m		24,39	24,39

white RAL 9003, dark brown RAL 8019 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. For colours on request please contact our sales department.

90° OUTSIDE CORNER

pack 5 pcs

		H	
		10	12,5
ART. finishing		CPGV/55/10/E	CPGV/55/12/E
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87584	87585
ash grey RAL 7038 embossed		87595	87596
metal grey RAL 9006		87592	87593
ancient grey		87586	87587
white stone		87536	87537
euro/pc		31,69	31,69

90° INSIDE CORNER

pack 5 pcs


		H	
		10	12,5
ART. finishing		CPGV/55/10/I	CPGV/55/12/I
COLOUR-COATED ALUMINIUM			
ancient grey		87566	87567
white stone		87538	87539
euro/pc		34,52	34,52

JUNCTION


width = 70 mm - pack 5 pcs

		H	
		10	12,5
ART. finishing		CPGV/55/10/G	CPGV/55/12/G
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87610	87610
ash grey RAL 7038 embossed		87612	87612
metal grey RAL 9006		87594	87594
ancient grey		87611	87611
white stone		87528	87528
euro/pc		7,68	7,68


no partial packaging



CPGV/55/ E




CPGV/55/ I




CPGV/55/ G

For a single piece, see sales conditions on page 288

Protec CPQV is a perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed of a vertical part that covers the border of the floor and facilitates the outflow of rainwater from the tiled surface, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.



CPQV/50/10 ash grey RAL 7038 embossed colour-coated aluminium



CPQV




NEW PROTEC

length = 270 cm - pack 10 pcs

ART. finishing	H			
	10	12,5	10	12,5
CPQV/50/ (H1=50)	CPQV/70/ (H1=70)			
COLOUR-COATED ALUMINIUM				
ash grey RAL 7038	86960	86961	86962	86963
ash grey RAL 7038 embossed	86964	86965	86966	86967
metal grey RAL 9006	86968	86969	86970	86971
ancient grey	86972	86973	86974	86975
white stone	86976	86977	86978	86979
euro/m	24,26	24,26	25,73	25,73

white RAL 9003, dark brown RAL 8019 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. For colours on request please contact our sales department.




CPQV//E

NEW 90° OUTSIDE CORNER

pack 5 pcs

ART. finishing	H			
	10	12,5	10	12,5
CPQV/50/ /E	CPQV/70/ /E			
COLOUR-COATED ALUMINIUM				
ash grey RAL 7038	86980	86981	86982	86983
ash grey RAL 7038 embossed	86984	86985	86986	86987
metal grey RAL 9006	86988	86989	86990	86991
ancient grey	86992	86993	86994	86995
white stone	86996	86997	86998	86999
euro/pc	31,71	31,71	31,71	31,71



CPQV//G

NEW JUNCTION

width = 70 mm - pack 5 pcs

ART. finishing	H	
	CPQV/50/G	CPQV/70/G
COLOUR-COATED ALUMINIUM		
ash grey RAL 7038	87000	87001
ash grey RAL 7038 embossed	87002	87003
metal grey RAL 9006	87004	87005
ancient grey	87006	87007
white stone	87008	87009
euro/pc	5,72	5,72

no partial packaging



CPQV ash grey RAL 7038


Complete the article code with H measure (for example CPQV/50/ for H=12,5 becomes CPQV/50/12)

For a single piece, see sales conditions on page 288


Protec CPEV and CPEI are a series of edge reversible profiles for the protection and finishing of the outside edges of terraces and balconies.

Available in stainless steel and colour-coated aluminium, they can be installed flush with the border or detached from it. They can be used with tiles or marble thicknesses from 11 to 32 mm.


The particular section is recommended to protect the stair nosing and sidewalk edge, hiding the connection between tread and riser.




CPEV/45/12 ancient grey colour-coated aluminium



CPEV/45/



CPEV/72/



CPEI/

PROTEC

length = 270 cm - pack 10 pcs

	H				
	11	12,5	15	20	12,5

ART.	CPEV/45/				CPEV/72/
finishing					

COLOUR-COATED ALUMINIUM

ash grey RAL 7038		87530	87550	87551	87552	87252
metal grey RAL 9006		87531	87540	87541	87542	-
ancient grey		87532	87553	87554	87555	-
euro/m		20,44	20,44	20,44	20,44	23,14

for CPEV/72 white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ancient grey, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. For different colours, please contact our Sales Department. For CPEV/45 white RAL 9003, dark brown RAL 8019, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. For colours on request please contact our sales department.

PROTEC

length = 270 cm - pack 10 pcs

	H		
	12,5	15	20


ART.	CPEI/45/		
------	----------	--	--

STAINLESS STEEL

polished stainless steel AISI 304 DIN 1.4301		-	87570	87571	87572
euro/m		-	31,41	31,41	31,41

Complete the article code with H measure (for example CPEV/45/ for H=12,5 becomes CPEV/45/12)

For a single piece, see sales conditions on page 288




CPEV// /E
CPEI// /E

90° OUTSIDE CORNER

pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.	CPEV/45/ /E					CPEV/72/ /E
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87533	87556	87557	87558	87255
metal grey RAL 9006		87534	87543	87544	87545	-
ancient grey		87535	87559	87560	87561	-
euro/pc		28,20	28,20	28,20	28,20	29,44

90° OUTSIDE CORNER

pack 5 pcs		H			
		12,5	15	20	
ART.	CPEI/45/ /E				
finishing					
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301		-	87573	87574	87575
euro/pc		-	38,55	38,55	38,55



CPEV// /G
CPEI// /G

JUNCTION

width = 70 mm - pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.	CPEV/45/ /G					CPEV/72/ /G
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87562	87562	87562	87562	87258
metal grey RAL 9006		87546	87546	87546	87546	-
ancient grey		87563	87563	87563	87563	-
euro/pc		5,72	5,72	5,72	5,72	5,72

no partial packaging

JUNCTION

width = 70 mm - pack 5 pcs		H			
		12,5	15	20	
ART.	CPEI/45/ /G				
finishing					
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301		-	87576	87576	87576
euro/pc		-	7,14	7,14	7,14

no partial packaging



Complete the article code with H measure
(for example CPEV/45/ for H=12,5 becomes
CPEV/45/12)


For a single piece, see sales conditions on page 288 CPEV/45/12/E + CPEI/45/12/G ancient grey colour-coated aluminium

cerfix® protec

Protec CPHA - CPHV is an edge profile in anodised and colour-coated aluminium for terraces, balconies and sidewalks. The shape allows the outflow of water, avoiding the direct contact with the screed. Installed along the perimeter, it allows to outline the ceramic tiles and to protect the border in many fields of use. It can be used with tiles thicknesses up to 21 mm.



CPHA/10 silver anodised aluminium



CPHA/
CPHV/



PROTEC


length = 270 cm - pack 10 pcs

		H (H1)			
ART.	finishing	8 (23)	10 (25)	12,5 (27)	21 (36)
ALUMINIUM					
CPHA/	silver anodised	87599	87600	87601	87602
	<i>euro/m</i>	5,39	5,49	5,67	6,99

COLOUR-COATED ALUMINIUM

CPHV/	ash grey RAL 7038	-	87606	87607	87608
	ash grey RAL 7038 embossed	-	87637	87638	-
	ancient grey	-	87639	87640	-
	<i>euro/m</i>	-	6,99	7,19	8,75

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007 and ancient grey with a minimum of 270 meters, on request, without surcharge. For colours on request please contact our sales department.



CPHA/ E
CPHV/ E

90° OUTSIDE CORNER

dimension = 12x12 cm - pack 5 pcs

		H (H1)			
ART.	finishing	8 (23)	10 (25)	12,5 (27)	21 (36)
ALUMINIUM					
CPHA/ E	silver anodised	87564	87565	87597	87598
	<i>euro/pc</i>	13,72	13,72	13,72	13,72

COLOUR-COATED ALUMINIUM

CPHV/ E	ash grey RAL 7038	-	87603	87604	87609
	ash grey RAL 7038 embossed	-	87641	87642	-
	ancient grey	-	87643	87644	-
	<i>euro/pc</i>	-	13,72	13,72	13,72



CPHA/ E silver anodised aluminium


Complete the article code with H measure (for example CPHA/ for H=10 becomes CPHA/10)

For a single piece, see sales conditions on page 288

Protec CPLV is a line of perimetral profiles in colour-coated aluminium, for the protection and finishing of the borders of outdoor raised floors, terraces or balconies. They are composed of a drilled base CPLB to be screwed to the supports, or, as an alternative, a cut base CPLB/2 for glued tiles, and a visible profile to be fixed with adhesive, available in 3 different heights according to the floor thickness. There are also special accessories for the creation of external corners and junctions.



CPLB + CPLV/60 ash grey RAL 7038 colour-coated aluminium



PROTEC

length = 270 cm - pack 10 pcs **H**


BASE

ART. finishing 20

ALUMINIUM

CPLB	natural aluminium		86900
	euro/m		21,40
NEW CPLB/2	natural aluminium		86901
	euro/m		11,64

CPLB with draining holes available on request, extra euro/m 2,71
CPLB and CPLB/2 in 15 and 25 mm height available on request
possibility to choose noise-proof rubber PPL/GM, see page 253



CPLB
base for raised
floors

PROTEC

length = 270 cm - pack 10 pcs **H1**

FRONT


ART. finishing 60 80 100

NEW

COLOUR-COATED ALUMINIUM

CPLV/	ash grey RAL 7038		86902	86904	86906
	ancient grey		86903	86905	86907
	stone		86908	86909	86910
	greige		86911	86912	86913
	sand		86914	86915	86916
	beige		86917	86918	86919
	euro/m		15,86	18,38	20,75

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with a minimum of 270 meters, on request, without surcharge. For other colours please contact our sales department.



CPLB/2
punched base
for tiled floors

90° OUTSIDE CORNER


pack 5 pcs **H1**

ART. finishing 60 80 100


NEW

COLOUR-COATED ALUMINIUM

CPLV/ /E	ash grey RAL 7038		86920	86922	86924
	ancient grey		86921	86923	86925
	stone		86926	86927	86928
	greige		86929	86931	86933
	sand		86935	86936	86937
	beige		86938	86939	86940
	euro/pc		26,95	26,95	26,95



CPLV/



CPLV/ /E

NEW


JUNCTION

width = 70 mm - pack 5 pcs **H1**

ART. finishing 60 80 100

COLOUR-COATED ALUMINIUM

CPLV/ /G	ash grey RAL 7038		86930	86932	86934
	ancient grey		86941	86942	86943
	stone		86944	86945	86946
	greige		86947	86948	86949
	sand		86950	86951	86952
	beige		86953	86954	86955
	euro/pc		5,46	5,46	5,46



CPLV/ /G

For a single piece, see sales conditions on page 288

no partial packaging