



profiles for floors of same height

The range of profiles is designed to combine different materials with elegance and simplicity. The coupling of different materials thus becomes interior style and not visual limit.


profiles for floors of same height

cerfix® proangle

Proangle is a line of profiles to finish, protect and decorate floors of same level in ceramic, marble, granite, wood or other material. It is also ideal as separation and decoration joint between floors made of different materials, as finishing and protection element for the edges of steps, platforms and worktops and as perimeter profile for the shaping of doormats. Proangle B in natural aluminium is particularly suitable where it is necessary to proceed to polishing, even deep, of marble, resin and wood surfaces.



AI/10 stainless steel AISI 304 DIN 1.4301



ZG/
ZA/
ZN/
ZK/

PPDESIGN

PROANGLE

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	2	2,5	3	4,5	6
ALUMINIUM						
ZG/	natural aluminium	90207	90206	90208	90210	88159
	euro/m	2,08	2,08	2,08	2,23	2,29
ZA/	silver anodised	90336	90337	90338	90340	88204
	euro/m	2,95	2,95	2,95	3,08	3,15
BRASS						
ZN/	natural brass	-	-	90078	90080	88024
	euro/m	-	-	7,37	7,53	7,76
ZK/	chromium plated	-	-	-	90081	88114
	euro/m	-	-	-	16,93	17,05


individually packed - ZA/ H 10 and ZG/ H 8 - 10 - 12 are available in length of 90 cm euro/m + 0,42 art. ZN/22,5 pack 5 pcs

PROANGLE

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	3	4,5	6	8
STAINLESS STEEL					
AI/	stainless steel AISI 304 DIN 1.4301	91636	91638	91642	91644
	euro/m	6,98	7,11	7,44	7,69
AIS/	satin stainless steel AISI 304 - DIN 1.4301	-	91671	91673	91674
	euro/m	-	8,89	9,23	9,48
AIX/	stainless steel AISI 316 DIN 1.4404	-	-	91684	91685
	euro/m	-	-	8,76	8,96

individually packed - AI/ H 10 is available in length of 90 cm euro/m + 0,42



AI/
AIS/
AIX/

Profiles PROANGLE sandblasted stainless steel finish see page 28


Complete the article code with H measure (for example ZG/ for H=10 becomes ZG/10)

Items AIX/ in other heights, on demand for minimum 540 meters for each height

For a single piece, see sales conditions on page 288



ZG/10 natural aluminium



ZBG/10 natural aluminium




ZN/10 natural brass



ZK/10 chromium-plated brass

H												
8	9	10	11	12,5	14	15	17,5	20	22,5	25	27,5	30
88160	88155	88161	88156	88162	88157	88163	88164	88165	88166	88167	-	-
2,44	2,51	2,54	2,61	2,68	2,79	2,90	3,23	3,40	3,68	3,89	-	-
88205	88217	88206	88218	88207	-	88208	88209	88210	88211	88212	-	-
3,23	3,31	3,39	3,66	3,91	-	4,16	4,54	4,91	5,19	5,54	-	-
88025	-	88026	88038	88027	-	88028	88029	88030	88031	-	-	-
8,24	-	8,81	9,16	9,49	-	10,25	11,27	12,03	12,65	-	-	-
88115	-	88116	88118	88117	-	-	-	-	-	-	-	-
17,63	-	18,02	18,29	18,67	-	-	-	-	-	-	-	-

H												
9	10	11	12,5	14	15	17,5	20	22,5	25	27,5	30	
91645	91646	91647	91648	91649	91650	91652	91654	91656	91658	91660	91662	
7,89	8,05	8,23	8,37	8,58	8,84	9,26	9,60	10,14	10,78	11,20	11,61	
-	91675	91677	91676	-	91678	-	91679	-	-	-	-	
-	9,83	9,99	10,16	-	11,64	-	13,46	-	-	-	-	
-	91686	91688	91687	-	-	-	-	-	-	-	-	
-	9,45	9,94	10,41	-	-	-	-	-	-	-	-	



ZBG/



PROANGLE B

length = 270 cm - pack 20 pcs

		H					
ART.	finishing	8	10	12,5	15	20	22,5
ALUMINIUM							
ZBG/	natural aluminium	90010	90012	90014	90016	90018	90020
	euro/m	3,20	3,28	3,58	3,97	4,61	4,85

individually packed

Complete the article code with H measure (for example ZBG/ for H=10 becomes ZBG /10)


For a single piece, see sales conditions on page 288

proflex line

Proangle is also available in the Flex version, specially studied for those situations where there is the need to curve the profile. Proangle Flex can be curved by hand or through the specific tool Proflex Machine.




AIF/10 stainless steel AISI 304 DIN 14301




ZGF/
ZNF/

PRO FLEX LINE



AIF/



ZBGF/

PRO FLEX LINE

PROANGLE FLEX

length = 270 cm - pack 20 pcs

		H						
ART.	finishing	3	4,5	6	8	10	12,5	15
ALUMINIUM								
ZGF/	natural aluminium	88720	88721	88722	88723	88724	88725	88726
	euro/m	2,93	3,13	3,17	3,32	3,40	3,54	3,77

BRASS

ZNF/	natural brass	88701	-	88703	88704	88705	88706	-
	euro/m	8,20	-	8,56	9,04	9,51	10,26	-

length = 270 cm - pack 10 pcs

STAINLESS STEEL

AIF/	stainless steel AISI 304 DIN 14301	-	-	91622	91623	91624	91625	-
	euro/m	-	-	9,14	9,42	9,79	10,11	-


Proangle Flex is available in other heights on request.

PROANGLE FLEX

length = 270 cm - pack 20 pcs

		H					
ART.	finishing	8	10	12,5	15	20	22,5
ALUMINIUM							
ZBGF/	natural aluminium	90011	90013	90015	90017	90019	90021
	euro/m	4,41	4,47	4,77	5,15	5,69	5,94

individually packed




Complete the article code with H measure (for example ZGF/ for H=8 becomes ZGF/8)

For a single piece, see sales conditions on page 288


PROFLEX MACHINE - hand machine to bend proflex line profiles, see page 267

Prodecor and Prodecor DJ are two lines of profiles for finishing and protecting floors of same level in ceramic, marble, granite, wood or other materials. They are also ideal as separation and decoration joints between floors made of different materials, as perimeter profiles for the shaping of doormats or as protection and finishing of platforms and ceramic steps.

The visible thickness makes the profile an elegant separation element perfectly integrated into the floor.



DJK/15 chromium-plated brass



DJG/
DJA/
DJN/
DJK/




PPDESIGN

PRODECOR DJ

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	8	10	12,5	15	20
ALUMINIUM						
DJG/	natural aluminium	95670	95672	95674	-	-
	<i>euro/m</i>	4,17	4,48	4,80	-	-
DJA/	silver anodised	95680	95682	95684	-	-
	<i>euro/m</i>	5,42	5,70	6,01	-	-
BRASS						
DJN/	natural brass	95690	95692	95694	95691	95693
	<i>euro/m</i>	11,40	11,82	12,35	13,16	14,69
CHROMIUM-PLATED BRASS						
DJK/	chromium plated	95700	95702	95704	95703	95705
	<i>euro/m</i>	18,87	19,31	19,86	20,69	22,24

individually packed - art. DJN/20 and DJK/20 pack 10 pcs




OUTSIDE AND INSIDE CORNERS

pack 5 pcs

		H				
ART.	finishing	8	10	12,5	15	20
ALUMINIUM						
DJG/ /EI	natural aluminium	95676	95677	95678	-	-
	<i>euro/pc</i>	5,93	5,93	5,93	-	-
DJA/ /EI	silver anodised	95686	95687	95688	-	-
	<i>euro/pc</i>	7,10	7,10	7,10	-	-
BRASS						
DJN/ /EI	natural brass	95696	95697	95698	95715	95716
	<i>euro/pc</i>	10,45	10,45	10,45	10,45	10,45
CHROMIUM-PLATED BRASS						
DJK/ /EI	chromium plated	95706	95707	95708	95709	95710
	<i>euro/pc</i>	16,15	16,15	16,15	16,15	16,15

no partial packaging



DJAF/
DJNF/




PRODECOR DJ FLEX NEW

length = 270 cm - pack 10 pcs

		H				
ART.	finishing	8	10	12,5	15	20
ALUMINIUM						
DJAF/	silver anodised	-	95685	95689	-	-
	<i>euro/m</i>	-	7,35	7,67	-	-
BRASS						
DJNF/	natural brass	-	95695	95699	-	-
	<i>euro/m</i>	-	13,97	14,49	-	-

individually packed

DJAF/ and DJNF/ are available in 8, 15 and 20 mm height on request, with a minimum order of 100 pcs for each code.



DI/



PRODECOR


length = 270 cm - pack 20 pcs

		H				
ART.	finishing	8	10	12,5	15	20
STAINLESS STEEL						
DI/	polished stainless steel AISI 304 DIN 1.4301	95906	95908	95910	95911	95907
	<i>euro/m</i>	10,96	11,38	11,77	12,15	13,30


art. DI/20 pack 10 pcs

cerfix® prostyle


Prostyle is a line of multi-purpose profiles for the finishing and decoration of floors of same level in ceramic, marble, granite or other types of materials. It is also ideal as separation and decoration joint between floors of different materials and, in the stainless steel version, it is suitable for the protection of ceramic steps and for the surfaces subject to the passage of heavy and frequent loads.




UK/12 chromium-plated brass



UG/
UA/
UN/
UK/



UI/
UIS/



PROSTYLE

length = 270 cm - pack 20 pcs

		H					
ART.	finishing	8	10	11	12,5	15	20
ALUMINIUM							
UG/	natural aluminium	93368	93370	-	93372	93377	-
	euro/m	4,91	5,21	-	5,53	5,97	-
UA/	silver anodised	93378	93380	-	93382	93387	-
	euro/m	6,39	6,72	-	7,06	7,49	-

length = 270 cm - pack 10 pcs

STAINLESS STEEL							
UI/	polished stainless steel AISI 304 DIN 1.4301	93400	93401	-	93402	93403	93404
	euro/m	11,82	12,45	-	13,25	14,06	15,71
UIS/	satin stainless steel AISI 304 DIN 1.4301	93348	93350	-	93352	93360	93361
	euro/m	13,74	14,41	-	15,15	15,97	17,65
BRASS							
UN/	natural brass	93300	93302	93311	93304	93306	93308
	euro/m	13,04	14,94	15,91	16,75	17,58	19,36
UK/	chromium plated	93325	93327	93312	93329	93338	93340
	euro/m	20,80	22,76	23,67	24,63	25,45	27,38

individually packed

OUTSIDE AND INSIDE CORNERS

pack 5 pcs


		H					
ART.	finishing	8	10	11	12,5	15	20
ALUMINIUM							
UG/ /EI	natural aluminium	93373	93374	-	93375	93376	-
UA/ /EI	silver anodised	93383	93384	-	93385	93386	-
	euro/pc	7,10	7,10	-	7,10	7,10	-
STAINLESS STEEL							
UI/ /EI	polished stainless steel AISI 304 DIN 1.4301	93405	93406	-	93407	93408	93409
	euro/pc	14,81	14,81	-	14,81	14,81	14,81
UIS/ /EI	satin stainless steel AISI 304 DIN 1.4301	93353	93354	-	93355	93356	93357
	euro/pc	17,07	17,07	-	17,07	17,07	17,07
BRASS							
UN/ /EI	natural brass	93301	93303	93341	93305	93307	93309
	euro/pc	15,10	15,10	15,10	15,10	15,10	15,10
UK/ /EI	chromium plated	93334	93335	93342	93336	93337	93339
	euro/pc	17,07	17,07	17,07	17,07	17,07	17,07

no partial packaging


Complete the article code with H measure
(for example UG/ for H=8 becomes UG/8)

For a single piece, see sales conditions on page 288

Projoint U and Projoint they are a range of separation joints in stainless steel and brass, especially suitable in case of transit of high and frequent loads. The version 799 / in case of need can be inserted and polished even after the installation after the cutting of the flooring.



799/U/12 polished stainless steel AISI 304 DIN 1.4301



799/U/
399/U




PROJOINT U

length = 270 cm - pack 20 pcs


H	10	12,5
----------	-----------	-------------

ART. finishing


STAINLESS STEEL

799/U/	polished stainless steel AISI 304 DIN 1.4301		75078	75072
	euro/m		6,85	8,12

BRASS

399/U	polished brass		75077	-
	euro/m		8,59	-

individually packed



799/



PROJOINT


length = 270 cm - pack 20 pcs

H	10
----------	-----------

ART. finishing

STAINLESS STEEL

799/	stainless steel AISI 304 DIN 1.4301		74966
	euro/m		5,72



380/8

PROJOINT

length = 270 cm - pack 20 pcs

measures LxH	8x10
---------------------	-------------

ART. finishing

BRASS

380/8	natural brass		75047
	euro/m		14,05

Complete the article code with H measure
(for example 799/U/ for H=10 becomes 799/U/10)


For a single piece, see sales conditions on page 288

projoint

Projoint T is a line of profiles for the separation, protection and decoration of same-level floors in ceramic, marble, granite, wood or other materials. It is also ideal to cover any imperfections due to the cutting or for the laying of floors made of different materials. Its special section allows to cover slight height differences (2÷3 mm) between two different types of floor. It is also easy to install, thanks to the arrow shape which allows a perfect fixing with sealants or adhesives.



99/T/14 silver anodised aluminium



99/T/
399/T/
399/TC/
99/T/14*26



PROJOINT T

length = 270 cm - pack	50 pcs	50 pcs	30 pcs	20 pcs
width	8	14	20	26

ART. finishing

ALUMINIUM

silver anodised		75075	75080	63600	75082
euro/m		3,18	3,50	3,76	4,61
gold anodised		-	75083	75084	75085
euro/m		-	3,90	4,16	5,01
99/T/ titanium anodised		-	75099	-	-
euro/m		-	4,18	-	-
colour-coated anthracite grey RAL 7016		-	75091	-	-
euro/m		-	7,04	-	-

length = 270 cm - pack	-	10 pcs	-	-
width	-	14	-	-

ART. finishing

ALUMINIUM decors ALCROM® PLUS

NEW

99/T/ 97 black		-	75095	-	-
euro/m		-	5,33	-	-

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister		L
ART. finishing		14

ALUMINIUM

silver anodised		20008
499/T euro/pc		4,14
gold anodised		20010
euro/pc		4,50


PROJOINT T

length = 270 cm - pack 20 pcs	LxH
ART. finishing	26 X 4,5


ALUMINIUM

99/TR/26 silver anodised		75081
euro/m		4,57

individually packed



99/T/14 silver anodised aluminium



99/TR/26


PRO FLEX LINE

Projoint T 99/T/ can be bent with Proflex Machine (except 99/T/14 97 black).

Complete the article code with L measure (for example 99/T/ for L=14 becomes 99/T/14)

packaging in blister no partial packaging

For a single piece, see sales conditions on page 288



799/T/
799/TS/

PROJOINT T

length = 270 cm - pack		30 pcs	20 pcs
width		14	26
ART.	finishing		
STAINLESS STEEL			
799/T/	polished stainless steel AISI 304 DIN 1.4301		75092
	euro/m	9,23	13,53
799/TS/	satin stainless steel AISI 304 DIN 1.4301		75093
	euro/m	11,56	16,43

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister			L
ART.	finishing	14	
4799/T	polished stainless steel AISI 304 DIN 1.4301		20001
	euro/pc	9,27	-
4799/TS	satin stainless steel AISI 304 DIN 1.4301		20002
	euro/pc	11,38	-


PROJOINT T

length = 270 cm - pack		50 pcs	20 pcs	20 pcs	20 pcs
width		8	14	20	26
ART.	finishing				
BRASS					
399/T/	polished		75070	75087	75090
	euro/m	6,50	6,74	10,16	11,85
pack			30 pcs	30 pcs	10 pcs
399/TC/	chromium plated		75071	75086	75089
	euro/m	13,16	13,49	-	17,99

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister			L
ART.	finishing	14	
4399/T	polished		20016
	euro/pc	7,19	



PPDESIGN

399/T/
399/TC/



799/T/26 polished stainless steel AISI 304 DIN 1.4301



399/T/14 polished brass

PRO FLEX LINE

Projoint T 399/T/ and 399/TC/ can be bent with Proflex Machine.

Complete the article code with L measure (for example 799/T/ for L=14 becomes 799/T/14)


For a single piece, see sales conditions on page 288

projoint

Projoint R is a line of profiles for subdivision and / or decoration of floors of the same level in ceramic, marble, granite, wood or other materials. The thickness of the upper part makes it particularly suitable for the polishing of wood, marble, etc...



399/R/10 natural brass



99/R/
399/R/




PROJOINT R

length = 270 cm - pack 50 pcs		H	
ART.	finishing	10	14
ALUMINIUM			
99/R/	natural aluminium	75006	75016
	euro/m	2,26	2,75
length = 270 cm - pack 20 pcs		H	
BRASS			
399/R/	natural brass	75007	75017
	euro/m	7,63	8,69
length = 90 cm - pack 10 pcs			
BRASS			
4399/R/10	natural brass	20006	-
	euro/pc	8,37	-

Projoint M is ideal as a separation joint and / or renovation and decoration between floors of the same level laid with glue or mortar. Used between materials of different thickness or type, it could also be polished both in the aluminium and brass version.



399/M natural brass



99/M
399/M
399/10



PROJOINT M


length = 270 cm - pack		50 pcs	
measures		5x3x25	10x4x25
ART.	finishing		
ALUMINIUM			
99/M	natural aluminium	75005	-
	euro/m	3,03	-
	pack	20 pcs	10 pcs
BRASS			
399/M	natural brass	74975	-
	euro/m	8,93	-
399/10	natural brass	-	74906
	euro/m	-	16,81

Complete the article code with H measure (for example 99/R/ for H=10 becomes 99/R/10)


packaging in blister no partial packaging

For a single piece, see sales conditions on page 288


Proclassic R is a line of profiles specially designed as threshold cover and to hide junctions and possible imperfections due to the cutting or the laying between floors of different materials. The rounded shape allows to compensate a slight height difference 2÷3 mm) between two different types of floor. The fixing is particularly easy thanks to the possibility to use adhesive or screws.



30/A silver anodised aluminium



21/



30/



PROCLASSIC R

length = 270 cm - pack 20 pcs


ART.	finishing	A
ALUMINIUM		
21/	silver anodised	71037
	euro/m	4,69
	gold anodised	71047
	euro/m	5,09

individually packed


PROCLASSIC R

pack	30 pcs		10 pcs / blister								
length cm	270		83	93		103		166			
ART.	30/		430/								
finishing	F	A	CV	AD	CV	AD	CV	AD	CV	AD	
ALUMINIUM											
silver anodised		71067	71097	20128	20148	20132	20152	-	20156	20140	20160
gold anodised		71077	71107	-	-	20133	20153	-	20157	-	20161
euro/m		3,65	4,96	-	-	-	-	-	-	-	-
euro/pc		-	-	4,26	5,04	4,60	5,59	-	6,13	7,86	9,73
titanium anodised		-	71098	-	-	-	-	-	-	-	-
euro/m		-	5,50	-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-	-	-	-	-	-
bronze anodised		-	71117	-	-	-	20154	-	-	-	-
euro/m		-	5,76	-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-	6,33	-	-	-	-
colour-coated anthracite grey RAL 7016		-	71101	-	-	-	-	-	-	-	-
euro/m		-	8,99	-	-	-	-	-	-	-	-

individually packed



35/



41/

PROCLASSIC R

length = 270 cm - pack 20 pcs

ART.	35/	
finishing	F	A
ALUMINIUM		
silver anodised		71387
euro/m	4,68	5,96

individually packed

PROCLASSIC R

pack	20 pcs		10 pcs / blister
length cm	270		90
ART.	41/		441/
finishing	F	A	AD
ALUMINIUM			
silver anodised		71587	71617
euro/m	5,57	6,85	-
euro/pc	-	-	7,29
gold anodised		-	71627
titanium anodised		-	71618
euro/m	-	-	7,54
euro/pc	-	-	7,99
bronze anodised		-	71637
euro/m	-	-	7,65
euro/pc	-	-	-

individually packed

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 30/ becomes 30/F)

packaging in blister no partial packaging

For a single piece, see sales conditions on page 288


proclassic

Proclassic R in stainless steel is particularly suitable in public spaces and in the case of passage of frequent and heavy loads. The sparkle of polished stainless steel also matches perfectly the modern floors and furnishings.

Proclassic R in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.



720/A polished stainless steel AISI 430 DIN 1.4016



720/
722/
020/

PROCLASSIC R

pack	20 pcs	PRO									
length cm	270	73	83	93	103	166					
ART.	720/	720/									
finishing	F A	F A	F A	F A	F A	F A	F A	F A	F A	F A	F A
STAINLESS STEEL (thickness 10/10)											
polished stainless steel AISI 430 - DIN 1.4016	71287 71297	71280 71290	71281 71291	71282 71292	- -	- -	- -	- -	- -	- -	71294
euro/m	3,41 4,97	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
euro/pc	- -	2,50 3,64	2,85 4,14	3,19 4,65	- -	- -	- -	- -	- -	- -	8,26

10 pcs / blister											
ART.	4720/										
finishing		CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD
polished stainless steel AISI 430 - DIN 1.4016	- -	20287 20293	20288 20294	20289 20295	20290 20296	20291 20297					
euro/pc	- -	4,18 4,98	4,59 5,54	4,92 6,01	5,34 6,60	8,23 10,44					
satin stainless steel AISI 430 - DIN 1.4016	- 71298	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
euro/m	- 5,87	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

individually packed

PROCLASSIC R


pack	20 pcs	10 pcs / blister									
length cm	270	73	83	93	103	166					
ART.	722/	4722/									
finishing	- A	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD
STAINLESS STEEL (thickness 10/10)											
satin stainless steel AISI 304 - DIN 1.4301	- 71268	- -	- -	- -	20300	- -	- -	- -	- -	- -	- -
euro/m	- 8,15	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
euro/pc	- -	- -	- -	- -	8,51	- -	- -	- -	- -	- -	- -

individually packed

PROCLASSIC R

pack	20 pcs	10 pcs / blister									
length cm	270	73	83	93	103	166					
ART.	020/	4020/									
finishing	F A	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD
BRASS (thickness 10/10)											
polished	71187 71207	20207 20213	20208 20214	20209 20215	20210 20216	20211 20217					
euro/m	6,99 8,66	- -	- -	- -	- -	- -					
euro/pc	- -	6,54 7,45	7,35 8,31	8,02 9,27	8,85 10,19	13,87 16,21					

individually packed




020/A polished brass

Complete the article code with F= drilled, A=adhesive, CV=with screws (for example 720/ drilled becomes 720/F)

packaging in blister no partial packaging

For a single piece, see sales conditions on page 288



726/



PROCLASSIC R

pack	20 pcs	PRO					
length	270	83	93	166			
ART.	726/	726/					
finishing	F A	F A	F A	F A	F A	F A	

STAINLESS STEEL (thickness 10/10)

polished stainless steel AISI 430 - DIN 1.4016		71507	71517	-	-	71502	71512	-	-
euro/m		5,10	6,35	-	-	-	-	-	-
euro/pc		-	-	-	-	4,74	5,92	-	-


10 pcs / blister

ART.	4726/						
finishing		CV	AD	CV	AD	CV	AD
polished stainless steel AISI 430 - DIN 1.4016		-	26016	26010	26017	-	26019
euro/pc		-	6,15	5,91	6,85	-	11,99

satin stainless steel
AISI 430 - DIN 1.4016

		-	71518	-	-	-	-
euro/m		-	7,42	-	-	-	-

individually packed



026/


PROCLASSIC R

pack	20 pcs	10 pcs / blister
length cm	270	93
ART.	026/	4026/
finishing	F A	CV AD

BRASS (thickness 10/10)

polished		71447	71457	20409	20415
euro/m		9,29	11,19	-	-
euro/pc		-	-	10,38	11,79

individually packed



729/

PROCLASSIC R

pack	20 pcs	5 pcs / blister
length	270	93
ART.	729/	4729/
finishing	F A	CV AD

STAINLESS STEEL (thickness 12/10)

polished stainless steel AISI 430 - DIN 1.4016		71667	71677	-	40220
euro/m		7,50	8,89	-	-
euro/pc		-	-	-	9,31

satin stainless steel AISI 430 - DIN 1.4016		-	71678	-	-
euro/m		-	10,47	-	-

individually packed

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 726/ drilled becomes 726/F)

packaging in blister no partial packaging


For a single piece, see sales conditions on page 288




722/A satin stainless steel AISI 304 DIN 1.4301

proclassic

Proclassic F is a line of threshold cover profiles F with a thickness that allows the application under the doors. 19/ and 25/ are provided with a useful non-slip knurled surface. The installation is particularly simple, thanks to the possibility to use adhesive or screws.



25/A silver anodised aluminium




19/



PROCLASSIC F

pack	30 pcs		10 pcs / blister		
length cm	270		93		
ART.	19/		419/		
finishing	F	A	CV	AD	
ALUMINIUM					
silver anodised		71867	71897	27074	27092
euro/m		3,43	4,60	-	-
euro/pc		-	-	4,31	5,21
gold anodised		-	71907	-	27099
euro/m		-	5,00	-	-
euro/pc		-	-	-	5,58

individually packed




25/

PROCLASSIC F

pack	20 pcs			10 pcs / blister		
length cm	270			93		
ART.	25/			425/		
finishing	F	D	A	CV	AD	
ALUMINIUM						
silver anodised		71947	71948	71977	22533	22553
euro/m		4,24	4,24	5,54	-	-
euro/pc		-	-	-	5,07	5,96
gold anodised		71957	-	71987	22534	22554
euro/m		4,64	-	5,94	-	-
euro/pc		-	-	-	5,44	6,33
bronze anodised		-	-	71997	-	22555
euro/m		-	-	6,34	-	-
euro/pc		-	-	-	-	6,70

individually packed



22/A
422/AD

PROCLASSIC F

pack	10 pcs		10 pcs / blister	
length cm	270		90	
ART.	22/A		422/AD	
finishing				
ALUMINIUM				
silver		44000	43790	
euro/m		5,58	-	
euro/pc		-	6,43	
titanium		44001	43791	
euro/m		6,55	-	
euro/pc		-	7,28	

ALUMINIUM - decors ALCROM® PLUS


NEW black 97		43996	-	
euro/m		8,12	-	
euro/pc		-	-	

Complete the article code with F=drilled, A/AD=adhesive, CV=with screws (for example 19/ drilled becomes 19/F)



packaging in blister no partial packaging

For a single piece, see sales conditions on page 288


Wood-effect decors available on page 182 and 183





PROCLASSIC F

pack	20 pcs			10 pcs / blister 	10 pcs
length cm	270			90	270
measures LxH	15x1,8	20x1,8	30x2,5	30x2,5	40x2,5 thickness 10/10
ART.	723/A	724/A	730/A	4730/AD	740/A
STAINLESS STEEL					
polished stainless steel AISI 430 - DIN 1.4016 	71717	71777	72117	20692	72377
euro/m	5,49	5,94	6,38	-	9,20
euro/pc	-	-	-	6,38	-

art. 723/ no individually packed - art. 730/ and 740/ individually packed



PROCLASSIC F

pack	20 pcs			10 pcs / blister 	10 pcs
thickness 10/10 - length cm	270			90	270
measures LxH	15x1,8	20x1,8	30x2,5	30x2,5	40x2,5
ART.	023/A	024/A	030/A	4030/AD	040/A
BRASS					
polished 	71697	71757	72057	20612	72317
euro/m	9,14	10,09	10,37	-	13,07
euro/pc	-	-	-	11,09	-

art. 030/ and 040/ individually packed - art. 023/ and 024/ not individually packed



 packaging in blister no partial packaging

For a single piece, see sales conditions on page 288 22/A aluminium covered with Alcrom® Plus black 97

