



stair nosing profiles

Protection, finishing and safety. Protect and Prostep are two ranges of stair nosing profiles for stairs for public and private use.


stair nosing profiles

cerfix® prostep

Prostep SGA, SGI, SGN and SGK are profiles for the realization and protection of ceramic, marble and stone steps. Thanks to the rounded section, they give elegance to the steps. The models in chromium-plated brass and anodized aluminium are not recommended in case of intense foot traffic, while those in stainless steel are particularly suitable for heavy foot traffic.



SGI/11 polished stainless steel AISI 304 DIN 1.4301



PROSTEP

length = 270 cm - pack 10 pcs

ART. finishing		H				
		7	9	11	13	
ALUMINIUM						
SGA/	silver anodised	94965	94966	94967	94968	
	<i>euro/m</i>	7,98	8,45	8,91	9,37	
STAINLESS STEEL						
SGI/	polished stainless steel AISI 304 DIN 1.4301	-	94922	94924	-	
	<i>euro/m</i>	-	12,93	14,01	-	
BRASS						
SGN/	natural brass	94970	94971	94972	-	
	<i>euro/m</i>	23,58	24,38	25,98	-	
CHROMIUM-PLATED BRASS						
SGK/	chromium-plated brass	94980	94981	94982	-	
	<i>euro/m</i>	30,64	31,40	32,87	-	


individually packed - art. SGK/9 and SGK/11 pack 5 pcs

PPDESIGN

Prostep SMA and SM are aluminium and brass profiles for realization and protection of ceramic, marble and stone steps. Thanks to the grooved top part, they are consistent with DIN 51131 law concerning non-slip stair nosing.



SMA/4,5 natural aluminium



SMA/
SM/

PROSTEP

length= 270 cm - pack 10 pcs

ART. finishing		H				
		4,5	8	10	11	12,5
ALUMINIUM						
SMA/	natural aluminium	93967	93969	93970	93979	93971
	<i>euro/m</i>	6,26	7,00	7,34	7,57	7,74
	silver anodised	93975	93976	93977	93980	93978
	<i>euro/m</i>	7,52	8,24	8,56	8,79	9,00
BRASS						
SM/	natural brass	-	-	93972	-	93973
	<i>euro/m</i>	-	-	28,99	-	30,65

individually packed


Complete the article code with H measure (for example for SGA/ for H=11 becomes SGA/11)

For a single piece, see sales conditions on page 288

Protrim IPI/ are minimal profiles in aluminium or stainless steel suitable for the edging of external corners that need the 45 degrees cut. These profiles allow a perfect laying both on coverings and on stairs or platforms in ceramic or wood.



IPA/11 silver anodised aluminium



IPA/
IPB/




PROTRIM IP

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	4,5	8	11	15
ALUMINIUM					
IPA/	silver anodised	95006	95178	95181	95185
	euro/m	4,17	4,28	4,28	4,50
IPB/	bright polished silver	95008	-	-	-
	euro/m	7,02	-	-	-

individually packed



IPI/

PROTRIM IP

length = 270 cm - pack 20 pcs


		H			
ART.	finishing	7	8	11	12,5
STAINLESS STEEL					
IPI/	stainless steel AISI 304 - DIN 1.4301	95169	95170	95173	95174
	euro/m	8,45	8,73	9,24	9,63

individually packed

Prostep SNG and SN are aluminium and brass profiles for realization and protection of ceramic, marble and stone steps.



SNG/10 silver anodised aluminium



SNG/
SN/



PROSTEP

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	8	10	12,5	15
ALUMINIUM					
	natural aluminium	90040	90042	90044	90046
SNG/	euro/m	3,12	3,20	3,38	3,68
	silver anodised	90041	90043	90045	90047
	euro/m	4,24	4,34	4,46	4,94
SN/	natural brass	93991	93992	93993	-
	euro/m	14,21	14,66	15,18	-

individually packed - SN/ pack 10 pcs

Complete the article code with H measure (for example IPA/ for H=11 becomes IPA/11)

For a single piece, see sales conditions on page 288

stair nosing profiles

cerfix® prostep


Prostep SAR and SIR are stair nosing profiles in aluminium and stainless steel, suitable for the protections of steps or pavements. Thanks to the reversible shapes, these two models can be used for tiles of four different thicknesses.




SAR/10/12 silver anodised aluminium




SIR/10/12 stainless steel AISI 304 DIN 1.4301




SAR/8




SAR/15




SAR/10




SAR/12




SIR/8
SIRS/8



SIR/15
SIRS/15



SIR/10
SIRS/10



SIR/12
SIRS/12

PROSTEP

length = 270 cm - pack 10 pcs

ART. finishing

ALUMINIUM

SAR/8/15	silver anodised		93956
	<i>euro/m</i>		6,99
SAR/10/12	silver anodised		93958
	<i>euro/m</i>		6,99

individually packed

PROSTEP

length = 270 cm - pack 10 pcs

ART. finishing

STAINLESS STEEL


SIR/8/15	polished stainless steel AISI 304 DIN 1.4301		93952
	<i>euro/m</i>		15,04
SIR/10/12	polished stainless steel AISI 304 DIN 1.4301		93954
	<i>euro/m</i>		15,04
SIRS/8/15	satin stainless steel AISI 304 DIN 1.4301		93953
	<i>euro/m</i>		16,89
SIRS/10/12	satin stainless steel AISI 304 DIN 1.4301		93955
	<i>euro/m</i>		16,89

individually packed


Prostep SIS is a stainless steel profile for the realization and protection of ceramic, marble and stone steps. Thanks to the satin and knurled tread, it is compliant with non-slip stair regulation DIN 51131. Prostep SIS is particularly suitable for the protection of steps subject to heavy pedestrian traffic.



SIS/10 satin stainless steel AISI 304 - DIN 1.4301



SIS/



SIS/10/SF




PROSTEP

length = 270 cm - pack 10 pcs


		H		
ART.	finishing	10	11	12,5
STAINLESS STEEL				
SIS/	satin stainless steel AISI 304 DIN 1.4301	93987	93989	93988
	euro/m	19,05	19,22	19,35
SIS/10/SF	satin stainless steel AISI 304 DIN 1.4301	93997	-	-
	euro/m	12,78	-	-

individually packed

Prostep SIX is a stainless steel profile for realization and protection of ceramic, marble and stone steps. They are in accordance with DIN 51131 regulation of non-slip stair nosing thanks to the application of non-slip strips: Safety-Step. It is particularly suitable to protect the stairs in case of high pedestrian traffic.



SIX/10 satin stainless steel AISI 304 - DIN 1.4301 + black slip-resistant 25 mm



SIX/



PROSTEP

length = 270 cm - pack 10 pcs

		H		
ART.	finishing	8	10	12,5
STAINLESS STEEL				
SIX/	satin stainless steel AISI 304 DIN 1.4301 + black slip-resistant 25 mm	93981	93982	93983
	euro/m	25,27	27,14	29,00

individually packed

Complete the article code with H measure (for example SIS/ for H=10 becomes SIS/10)

For a single piece, see sales conditions on page 288


stair nosing profiles

cerfix® prostep

Prostep Wood is a line of profiles in solid wood and aluminium base for the realization and protection of ceramic, wood or cotto tile steps. Available in different heights, we recommend to paint it immediately after installation for the best finishing and durability results.



SWA/10 oak



SWA/




PROSTEP WOOD

length = 270 cm - pack 5 pcs

		H		
ART.	finishing	10	12,5	15
SWA/	oak	90480	90484	90488
	<i>euro/m</i>	47,02	48,43	50,01
SWB/	oak	90512	90516	-
	<i>euro/m</i>	37,57	39,00	-

art. SWA and SWB available in length 90-135 cm with a minimum order of 12 pcs and a surcharge euro/pc 3,00.




SWB/

Prostep SP is a line of profiles in PVC with aluminium base for realization and protection of ceramic, stone or brick floors. The grooved PVC insert is in accordance with DIN 51131 regulation of non-slip stair nosing.



SP/10 aluminium + Black PVC



SP/



PROSTEP


length = 270 cm - pack 10 pcs

		H		
ART.	finishing	8	10	12,5
SP/	aluminium + black PVC	95200	95210	95220
	<i>euro/m</i>	14,66	15,70	16,97


Complete the article code with H measure
(for example SWA/ for H=10 becomes SWA/10)

For a single piece, see sales conditions on page 288


Prostep SA and SB is a line of profiles in PVC with aluminium base for realization and protection of ceramic, stone or brick floors. The grooved PVC insert is in accordance with DIN 51131 regulation of non-slip stair nosing.



SB/10 aluminium + dark grey PVC



SA/



SB/

PROSTEP

length = 270 cm - pack 10 pcs

ART.	finishing	8	10	12,5	15
SA/	aluminium + dark grey PVC	94041	94101	94161	-
	euro/m	12,39	13,31	13,73	-

SPARE PVC - pack 10 pcs

SA/G	dark grey PVC		94913		
	euro/m		3,99		

length = 270 cm - pack 10 pcs

ART.	finishing	8	10	12,5	15
SB/	aluminium + dark grey PVC	94441	94501	94561	94621
	euro/m	19,54	20,31	20,93	21,97

SPARE PVC - pack 10 pcs

SB/G	dark grey PVC		94963		
	euro/m		6,72		

no partial packaging with SA/G and SB/G


Prostep 111 and 75 are anodised aluminium profiles for realization and protection of stairs with floors with small thickness. They are suitable also for LVT floorings.



111/4/F silver anodised aluminium



75/F silver anodised aluminium



PROTECT

length = 270 cm - pack 20 pcs

ART.	finishing	2,5	4,5	5	6
111/ /F	silver anodised	75782	75784	75785	75786
	euro/m	6,77	7,13	7,38	7,67

PROTECT

length = 340 cm - pack 20 pcs

ART.	finishing	3,5
75/F	silver anodised	75388
	euro/m	6,45


Complete the article code with H measure (for example SA/ for H=8 becomes SA/8)

For a single piece, see sales conditions on page 288


protect

Protect 73, 74 and 58 are profiles for protection of step edge in wood, ceramic or marble already laid.


Protec 87, 370 and 373 are in accordance with DIN 51131 regulation of non-slip stair nosing. They are available in version with the holes and self-adhesive.




74/SF silver anodised aluminium




73/




74/




58/



74/IF



87/
370/



373/

PROTECT

pack	30 pcs			10 pcs / blister						
length cm	270			90	100		-			
ART.	73/			473/			-			
finishing	F	SF	A	CV	AD	CV	-			
ALUMINIUM										
silver anodised		75208	75209	75238	21422	21434	00337	-		
gold anodised		75218	-	75248	21423	21435	00338	-		
bronze anodised		-	-	75258	-	-	-	-		
euro/m		3,84	3,69	5,06	-	-	-	-		
euro/pc		-	-	-	4,58	5,45	4,97	-		
pack	20 pcs.		30 pcs		10 pcs / blister		20 pcs			
ART.	58/		74/		474/		74/I			
finishing	A	-	F	SF	A	CV	AD	CV	F	
ALUMINIUM										
silver anodised		75900	-	75268	75269	75298	21512	21524	00390	-
gold anodised		-	-	75278	-	75308	21513	21525	00392	-
bronze anodised		-	-	-	-	75318	-	-	-	-
euro/m		6,25	-	4,41	4,26	5,63	-	-	-	-
euro/pc		-	-	-	-	-	5,07	5,92	5,50	-
titanium anodised		-	-	-	-	75299	-	-	-	-
euro/m		-	-	-	-	7,15	-	-	-	-
length cm									270	
STAINLESS STEEL										
satin stainless steel AISI 304 DIN 1.4301		-	-	-	-	-	-	-	-	75275
euro/m		-	-	-	-	-	-	-	-	17,16

art. 73/, 58/ and 74/ individually packed - art. 73/ and 74/ gold anodised extra euro/m + 0,40
art. 73/ and 74/ bronze anodised extra euro/m + 0,80

PROTECT

pack	30 pcs			10 pcs / blister		
length cm	340			113		
ART.	87/			487/		
finishing	F	SF	A	CV	AD	
ALUMINIUM						
silver anodised		75108	75109	75138	22615	22641
euro/m		5,12	4,97	6,76	-	-
euro/pc		-	-	-	7,12	8,70
pack	10 pcs			5 pcs		
length cm	270			270		
ART.	370/			373/		
finishing	F	SF	A	F	A	
BRASS						
polished		-	75169	75178	75188	75198
euro/m		-	22,10	25,11	29,73	32,45


art. 87/ and 370/ individually packed

Complete the article code with F=drilled, A/
AD=adhesive, SF=undrilled, CV=screws (eg. 73/
drilled becomes 73/F)


packaging in blister no partial packaging

For a single piece, see sales conditions on page 288

Prostep Flex is a line of bendable profiles for the protection of steps or platforms. These profiles can be curved through our Proflex Machine.



GF/710 silver anodised aluminium




GF/

PRO FLEX LINE




PROSTEP FLEX

length = 270 cm - pack 10 pcs


		H	
ART.	finishing	10	15
ALUMINIUM		710	715
GF/	silver anodised 	67569	67350
euro/m		7,13	7,54

individually packed

Protect 70, 71 and 130 are profiles for protection of step edge in wood, ceramic or marble already laid. They are in accordance with DIN51131 regulation concerning non-slip stair nosing. They are available in the version with holes and self-adhesive and they are particularly suitable for public environments in adaptation to standards.






71/SF silver anodised aluminium




70/



PROTECT


pack	20	10 pcs / blister 	
length cm	340	113	166
ART.	70/	470/	
finishing	F SF A	CV	CV
ALUMINIUM			
silver anodised 	75328	75329	75358
gold anodised 	75338	-	75368
euro/m	8,30	8,12	10,08
euro/pc	-	-	-
		11,01	15,87


art. 70/ individually packed - art. 70/ gold anodised extra euro/m + 0,40




71/

PROTECT

pack	10 pcs	8 pcs	
length cm	340	270	
ART.	71/	130/	
finishing	F SF	F	SF
ALUMINIUM			
silver anodised 	64067	64066	75804
euro/m	14,51	13,89	24,76
		24,76	23,84



130/


Complete the article code with F=drilled, A/AD=adhesive, SF=undrilled, CV=with screws (eg. 87/ drilled becomes 87/F) -  packaging in blister no partial packaging - For a single piece, see sales conditions on page 288

protect

Protect 76, 124, 110, 80 and 126 are anodised aluminium profiles with non-slip Safety-Step inserts or rubber for the protection of already-laid ceramic, wood or carpet steps. Compliant with DIN 51131 regulation regarding non-slip steps, they are available in drilled version and are particularly suitable for public spaces for the adaptation to standards.






76/F silver anodised aluminium + black slip-resistant insert




76/





PROTECT


pack	10 pcs	5 pcs / blister 	
length cm	340	113	
ART.	76/	476/	
finishing	F	CV	AD
ALUMINIUM			
silver anodised	 75448	21680	21696
euro/m	12,10	-	-
euro/pc	-	17,75	19,74
SLIP-RESISTANT ROLL			
length = 1820 cm - width mm			19
4 rolls pack -			
black		23002	
euro/m		1,24	



124/



PROTECT

length = 270 cm - pack 24 pcs			
ART.	124/		
finishing	F		
ALUMINIUM			
silver anodised		75794	
euro/m		10,16	
SLIP-RESISTANT ROLL			
length = 1820 cm - width mm			25
4 rolls pack -			
black		23004	
euro/m		1,64	



110/

PROTECT

length = 270 cm - pack 24 pcs			
ART.	110/		
finishing	F		
ALUMINIUM			
silver anodised		75780	
euro/m		9,27	
SLIP-RESISTANT ROLL			
length = 1820 cm - width mm			19
4 rolls pack -			
black		23002	
euro/m		1,24	

The price per meter of 76/, 124/ and 110/ does not include the non-slip insert that must be ordered separately.


Complete the article code with F=drilled, AD=adhesive, CV=screws (eg. 110/ drilled becomes 110/F)

 packaging in blister no partial packaging


For a single piece, see sales conditions on page 288



124/F silver anodised aluminium + black slip-resistant insert



110/F silver anodised aluminium + black slip-resistant insert



80/



PROTECT

length = 340 cm - pack 10 pcs


ART.	80/
finishing	F

ALUMINIUM

silver anodised		64077
euro/m		15,57

SLIP-RESISTANT ROLL

length = 1820 cm - width mm		50
2 rolls pack -		
black		23006
euro/m		3,28



126/

PROTECT


length = 270 cm - pack 6 pcs

ART.	126/
finishing	F

ALUMINIUM


silver anodised		75798
euro/m		15,10

GROOVED RUBBER

length = 1700 cm - 1 rolls pack		
ART.	GMR/44	
black		75706
euro/m		6,30



80/F silver anodised aluminium



126/F silver anodised aluminium

The price per meter of 80/ does not include the non-slip insert that must be ordered separately.

The price per meter of 126/ does not include the grooved rubber that must be ordered separately.

Complete the article code with F=drilled (for example 80/ drilled becomes 80/F)

For a single piece, see sales conditions on page 288


stair nosing profiles

protect

Protect 72, 79, 125 and 78 are anodised aluminium profiles with rubber insert replaceable for the protection fo step edge in ceramic, wood, marble and carpet already laid. They are in accordance with DIN 51131 regulation of non-slip stair nosing. They are available in the version with holes and they are particularly suitable for public environments in adaptation to standards.



72/F silver anodised aluminium + GM/72 black



72/



PROTECT

length = 340 cm - pack 10 pcs


ART.	72/
finishing	F
ALUMINIUM	
silver anodised	75508
gold anodised	75518
euro/m	10,30

GROOVED RUBBER


length = 3400 cm - 2 rolls pack

ART.	GM/72
black	75565
euro/m	1,91


art. 72/ gold anodised extra euro/m + **0,40**



79/F + GM/R



125/F + GM/R



GM/R

PROTECT

pack	10	10
length cm	340	270
ART.	79/	125/
finishing	F	F
ALUMINIUM		
silver anodised	75728	75796
euro/m	8,28	12,55

GROOVED RUBBER


length = 3400 cm - 2 rolls pack

ART.	GM/R
black	75705
euro/m	2,40

The price per meter of 72/, 79/ and 125/ does not include the grooved rubber that must be ordered separately.

Complete the article code with F=drilled (for example 72/ drilled becomes 72/F)

For a single piece, see sales conditions on page 288



78/



PROTECT

length = 340 cm - pack 20 pcs


ART.	78/
finishing	F

ALUMINIUM

silver anodised		75578
euro/m		9,83


GROOVED RUBBER

length = 1700 cm - 2 rolls pack

ART.	GM/78	
black		75635
euro/m		4,58



125/F silver anodised aluminium + GM/R black



78/F silver anodised aluminium

The price per meter of 78/ does not include the grooved rubber that must be ordered separately.

Complete the article code with F=drilled (for example 78/ drilled becomes 78/F)


For a single piece, see sales conditions on page 288

protect

Protect 150, 151, 152, 154, 155 and 156 are PVC profiles for the protection of the step edge in ceramic, marble, wood, PVC, linoleum, carpet or LVT to be laid or already laid.



150 Black PVC



150




PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

PVC

	black		19100
150	grey		19101
	brown		19102
	euro/m		2,58

no partial packaging



151

PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

PVC

	black		19110
151	grey		19111
	brown		19112
	euro/m		3,90

no partial packaging



152

PROTECT

length = 300 cm - pack 15 pcs

ART. finishing


PVC

	black		19120
152	grey		19121
	brown		-
	euro/m		5,24

no partial packaging




151 Black PVC



152 Grey PVC

All articles Protect in PVC should be stored horizontally

For a single piece, see sales conditions on page 288



154



PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

PVC

	black		19140
154	grey		19141
	brown		-
	euro/m		4,78

no partial packaging



155

PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

PVC

	black		19150
155	grey		19151
	brown		19152
	euro/m		4,49

no partial packaging



156

PROTECT


length = 300 cm - pack 10 pcs

ART. finishing

PVC

	black		19160
156	grey		19161
	brown		19162
	euro/m		7,96


no partial packaging



154 Brown PVC



155 Black PVC



156 Grey PVC

All articles Protect in PVC should be stored horizontally

For a single piece, see sales conditions on page 288

safety-step



Slip-resistant strips Safety-Step: it is a line of anti-slip adhesive coverings consisting of abrasive particles aggregated by synthetic resins on dimensionally stable support. Suitable for all surfaces subjected to heavy traffic, both pedestrian and vehicular, such as stairs, hall of office and apartment buildings, ramps, walkways, elevators, platforms machinery, emergency exits etc..



Safety-Step - slip-resistant strip



SAFETY-STEP - SLIP-RESISTANT STRIP

colour	width (mm)	length (cm)	code	euro/pc	pack
black	19	61	23000	1,73	50
black	25	61	23001	2,05	50
black	19	61	23100	9,03	10 pcs/blister 
black	25	61	23101	10,29	10 pcs/blister 
transparent	19	61	23016	1,73	50

no partial packaging - one blister contains 4 strips

ADHESIVE FOR BORDERS

ml 140 - pack 12 pcs

output: 1 cartridge every 35 meters

ART.

H3502

23181

euro/pc

40,27




Safety-Step - slip-resistant strip

 packaging in blister no partial packaging

For a single piece, see sales conditions on page 288



Slip-resistant rolls Safety-Step: it is a line of anti-slip adhesive coverings consisting of abrasive particles aggregated by synthetic resins on dimensionally stable support. Suitable for all surfaces subjected to heavy traffic, both pedestrian and vehicular, such as stairs, hall of office and apartment buildings, ramps, walkways, elevators, platforms machinery, emergency exits etc.. The grey versions (Resilient Medium / Fine) consist of a rubber surface, and are perfect for areas of the walkway also barefoot such as showers, locker rooms, saunas, boats, sports equipment and etc...



Safety-Step - slip-resistant strip



SAFETY-STEP - SLIP-RESISTANT ROLL

colour	width (mm)	length (cm)	code	euro/pc	pack
black	19	1820	23002	22,58	4
black	25	1820	23004	29,82	4
black	50	1820	23006	59,64	2
black	19	360	23103	6,62	10 pcs/blister 
black	25	360	23105	8,09	10 pcs/blister 
transparent	19	1820	23018	27,09	4
transparent	25	1820	23020	35,81	4
transparent	50	1820	23022	71,61	2
grey	25	1820	23044	91,46	4
grey	50	1820	23046	182,91	2




Safety-Step - slip-resistant roll

 packaging in blister no partial packaging


For a single piece, see sales conditions on page 288

prostair

Prostair is a system composed of a profile and its relative accessories for the anchorage of stair rods on steps. The fixing accessories permit a quick removal of the stair rods for cleaning or replacement.



155/16 bright polished gold aluminium + 177/16



151/11




PROSTAIR

length = 380 cm - diameter 11 - pack 20 pcs

ART. finishing

ALUMINIUM

151/11	bright polished silver		78430
	euro/m		6,56



150/


PROSTAIR

pack 20 pcs

length cm **80** **90** **100** **120** **380**

ART. finishing


ALUMINIUM

		diameter				
	11	78311	78312	78313	78314	78319
	euro/pc	8,80	9,47	10,12	11,42	-
	euro/m	-	-	-	-	6,56
150/	bright polished gold					
	13	78321	-	78323	-	78329
	euro/pc	9,50	-	10,87	-	-
	euro/m	-	-	-	-	6,80
	16	-	-	-	-	78339
	euro/m	-	-	-	-	7,61

pack 10 pcs / blister 


4150/11/S	bright polished gold		11	21810	21811	21812	-	-
	euro/blister			19,02	20,33	21,62	-	-


articles 150/11, 150/13 and 150/16 of 380 cm partial packaging available and without knobs, for other articles no partial packaging - article 150/13 of 380 cm pack 40 pcs - article 150/16 of 380 cm pack 25 pcs



163/

PROSTAIR

		10 pcs	10 pcs	10 pcs	
pack		10 pcs	10 pcs	10 pcs	
length = 380 cm					
finishing					
BRASS		diameter			
	11	13	16		
163/	polished		78801	78802	78803
	euro/m		15,57	17,77	19,56



155/16

OTHER PROFILES

length = 300 cm - pack 20 pcs

ART. finishing **16x16**


ALUMINIUM

155/16	bright polished gold		78379
	euro/m		10,72

art. 163/ available in different lengths on request, extra €/pc 1,29

Complete the article code with the diameter measure (for example 150/ for diameter=11 becomes 150/11)


For a single piece, see sales conditions on page 288




163/13 polished brass + 170/13




155/16 bright polished gold aluminium + 168/16 + 178/16




175/11 + 174/




177/16




178/16



171/ + 170/



161/11 + 169/



168/16

Complete the article code with diameter measure (eg. 174/ for diameter=11 becomes 174/11)

For a single piece, see sales conditions on page 288

ACCESSORIES - BRACKETS

pack 20 pcs		diameter		
ART.	finishing	11	13	16
BRASS				
175/11	chromium plated	78445	-	-
	<i>euro/pc</i>	11,64	-	-
pack 20 pcs				
174/	polished	78410	-	78412
	<i>euro/pc</i>	8,04	-	11,78
pack 10 couples 2 pcs dx/sx				
177/16	polished	-	-	78415
	<i>euro/couple</i>	-	-	27,45
pack 20 pcs		measures		
		16x16		
178/16	polished	78420		
	<i>euro/pc</i>	9,28		

ACCESSORIES - RINGS

pack 20 pcs		diameter		
ART.	finishing	11	13	16
BRASS				
171/11	chromium plated	78440	-	-
	<i>euro/pc</i>	4,27	-	-
pack 20 pcs				
170/	polished	78400	78401	78402
	<i>euro/pc</i>	2,50	2,75	4,29
10 blister packs/ 4 pcs/blister				
4170/ /S	polished	21852	-	-
	<i>euro/blister</i>	10,82	-	-
no partial packaging				

ACCESSORIES - KNOBS

pack 20 pcs		diameter		
ART.	finishing	11	13	16
BRASS				
161/11	chromium plated	78435	-	-
	<i>euro/pc</i>	2,64	-	-
pack 20 pcs				
169/	brass (for aluminium and brass profiles)	78395	78396	78397
	<i>euro/pc</i>	1,94	2,22	2,64
pack 20 pcs		16x16		
168/16	polished	78418		
	<i>euro/pc</i>	3,33		
no partial packaging				